Printed on: 2024-May-20





Activator Aerosol 12oz

Part Number: F2P10ACTIVAT-12

2P-10 Activator Aerosol 12oz Can

Two-Part Ten-Second (2P10) Activator in Aerosol 12oz Can

<div>
</div>

12 oz

Product Description

This is part of the FastCap 2P-10 Adhesive program. As a two-part 10-second adhesive, just apply the adhesive and then spray the activator. This will enable anything to stick for a strong, permanent bond.

This Activator comes in a 12 oz. aerosol can for high volume use. Please purchase adhesive separately according to your application.

Product Advantages

- · Speed and strength
- 10 seconds to bond
- Start sanding within 60 seconds
- Dries crystal clear
- 4000 PSI tensile and sheer
- · Breaks the wood, not the glue!

Product Application

Apply adhesive to your material and then spray the activator. Stick your materials together for a strong, permanent bond.



Printed on: 2024-May-20

Technical Documents



5016 Pacific Highway Ferndale, WA98248 Phone: 1-888-443-3748 Fax: 1-360-650-1075



SAFETY DATA SHEET

Version: 1.0 Revision Date: 02/03/2020

1. Identification

Product identifier: 2P-10 ACTIVATOR (AEROSOL)

Other means of identification SDS number: RE1000010167

Recommended restrictions

Product use: Coating Restrictions on use: Not known.

Manufacturer/Importer/Distributor Information

Manufacturer

Company Name: FAST CAP, LLC. 5016 PACIFIC HWY. FERNDALE, WA 98248 Address: 1-888-443-3748 1-360-650-1075 Fax:

Emergency telephone number: 888-740-8712

2. Hazard(s) identification

Hazard Classification

Physical Hazards

Flammable aerosol Category 1

Health Hazards

Serious Eye Damage/Eye Irritation Category 2A Skin sensitizer Category 1 Carcinogenicity Category 2 Specific Target Organ Toxicity -Category 31 Single Exposure

Target Organs

1. Narcotic effect.

Environmental Hazards

Acute hazards to the aquatic Category 3 environment

Label Elements

Hazard Symbol:



Signal Word: Danger

SDS_US - RE1000010167

1/13

View this product online at https://marathonhardware.com/pd/F2P10ACTIVAT-12

Printed on: 2024-May-

20

Technical Documents





Page 1 of 11

5016 Pacific Highway Ferndale, WA98248 Phone: 1-888-443-3748 Fax: 1-360-650-1075

Safety Data Sheet

according to Regulation (EC) No 1907/2006

2P-10 Activator

2P-10 Activator

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Print date: 05.17.2018

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Industrial and professional use.

Uses advised against

any non-intended use.

1.3. Details of the supplier of the safety data sheet

Company name: FastCap LLC

5016 Pacific Highway Ferndale, WA 98248

Telephone: +1 360-752-2138 Internet: www.fastcap.com Responsible Department: info@fastcap.com 1.4. Emergency telephone Chemtrec 1-800-262-8200

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:
Flammable liquid: Flam. Liq. 2
Serious eye damage/eye irritation: Eye Irrit. 2
Specific target organ toxicity - single exposure: STOT SE 3

Hazard Statements: Highly flammable liquid and vapour. Causes serious eye irritation. May cause drowsiness or dizziness.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazardous components which must be listed on the label

Acetone

Signal word: Danger

Pictograms:





Hazard statements

Highly flammable liquid and vapour. Causes serious eye irritation. H225 H319 H336 May cause drowsiness or dizziness.

Precautionary statem

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

Call a POISON CENTER/doctor if you feel unwell. P312

P337+P313 P370+P378

If eye irritation persists: Get medical advice/attention.
In case of fire: Use Water spray. Carbon dioxide. Extinguishing powder. Dry extinguishing powder. alcohol resistant foam, to extinguish.

View this product online at https://marathonhardware.com/pd/F2P10ACTIVAT-12

Pag	le	4	/	4