



## Adhesive & Activator Solo Kit

**Part Number: F2P10SOLO**

2P-10 Adhesive & Activator Kit

Two-Part Ten-Second (2P10) Solo Kit including 2 oz Adhesive and 12 oz Activator aerosol can.

<div><br></div>

### Product Description

This is part of the FastCap 2P-10 Adhesive program. As a two-part 10-second adhesive, just apply the adhesive and then spray the activator. This will enable anything to stick for a strong, permanent bond.

### Product Advantages

- Speed and strength
- 10 seconds to bond
- Start sanding within 60 seconds
- Dries crystal clear
- 4000 PSI tensile and sheer
- Breaks the wood, not the glue!

### Included Products

This starter kit includes a 12 oz. Activator aerosol spray can and a 2 oz. bottle of Thick purpose Adhesive.

### Product Application

Apply adhesive to your material and then spray the activator. Stick your materials together for a strong, permanent bond.



## Technical Documents



5016 Pacific Highway  
Ferndale, WA 98248  
Phone: 1-888-443-3748  
Fax: 1-360-650-1075



## SAFETY DATA SHEET

Version: 1.0  
Revision Date: 02/03/2020

### 1. Identification

**Product identifier:** 2P-10 ACTIVATOR (AEROSOL)

**Other means of identification**

**SDS number:** RE1000010167

**Recommended restrictions**

**Product use:** Coating

**Restrictions on use:** Not known.

**Manufacturer/Importer/Distributor Information**

**Manufacturer**

**Company Name:** FAST CAP, L.L.C.  
**Address:** 5016 PACIFIC HWY.  
FERNDALE, WA 98248  
**Telephone:** 1-888-443-3748  
**Fax:** 1-360-650-1075

**Emergency telephone number:** 888-740-8712

### 2. Hazard(s) identification

**Hazard Classification**

**Physical Hazards**

Flammable aerosol Category 1

**Health Hazards**

Serious Eye Damage/Eye Irritation Category 2A

Skin sensitizer Category 1

Carcinogenicity Category 2

Specific Target Organ Toxicity -  
Single Exposure Category 3<sup>1</sup>

**Target Organs**

1. Narcotic effect.

**Environmental Hazards**

Acute hazards to the aquatic  
environment Category 3

**Label Elements**

**Hazard Symbol:**



**Signal Word:**

Danger

SDS\_US - RE1000010167

1/13

View this product online at <https://marathonhardware.com/pd/F2P10SOLO>



## Technical Documents



5016 Pacific Highway  
Ferndale, WA98248  
Phone: 1-888-443-3748  
Fax: 1-360-650-1075

### Safety Data Sheet



according to Regulation (EC) No 1907/2006

#### 2P-10 Activator

Print date: 05.17.2018

2P-10 Activator

Page 1 of 11

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

2P-10 Activator

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

###### Use of the substance/mixture

Industrial and professional use.

###### Uses advised against

any non-intended use.

##### 1.3. Details of the supplier of the safety data sheet

Company name: FastCap LLC  
Place: 5016 Pacific Highway Ferndale, WA 98248  
Telephone: +1 360-752-2138  
Internet: [www.fastcap.com](http://www.fastcap.com)  
Responsible Department: [info@fastcap.com](mailto:info@fastcap.com)

##### 1.4. Emergency telephone number:

Chemtec 1-800-262-8200

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### Regulation (EC) No. 1272/2008

Hazard categories:

Flammable liquid: Flam. Liq. 2  
Serious eye damage/eye irritation: Eye Irrit. 2  
Specific target organ toxicity - single exposure: STOT SE 3  
Hazard Statements:  
Highly flammable liquid and vapour.  
Causes serious eye irritation.  
May cause drowsiness or dizziness.

##### 2.2. Label elements

###### Regulation (EC) No. 1272/2008

###### Hazardous components which must be listed on the label

Acetone

Signal word: Danger

Pictograms:



###### Hazard statements

H225 Highly flammable liquid and vapour.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness.

###### Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P312 Call a POISON CENTER/doctor if you feel unwell.  
P337+P313 If eye irritation persists: Get medical advice/attention.  
P370+P378 In case of fire: Use Water spray, Carbon dioxide, Extinguishing powder, Dry extinguishing powder, alcohol resistant foam, to extinguish.

Revision No: 1.00

GB - EN

Revision date: 05.17.2018

View this product online at <https://marathonhardware.com/pd/F2P10SOLO>



## Technical Documents



5016 Pacific Highway  
Ferndale, WA 98248  
Phone: 1-888-443-3748  
Fax: 1-360-650-1075



### Safety Data Sheet

Revision Date 10/11/19

Page 1/11

#### 1. IDENTIFICATION OF THE SUBSTANCE AND OF THE COMPANY UNDERTAKING

##### 1.1. Product Identifier

Product name	2P-10 SOLO THICK 2 O / 2P-10 THICK 10 OZ / 2P-10 RT THICK 2.25 / 2P-10 RT THICK 10 OZ / 2P-10 KIT / 2P-10 SOLOKIT
Product Grade	2P-10 THICK
CAS number	7085-85-0
EC number	230-391-5
REACH number	01-2119527766-29-0001

##### 1.2. Relevant identified uses of the substance and uses advised against

Applications	Industrial adhesives application Consumer use of adhesives
--------------	---

##### 1.3. Details of the supplier of the safety data sheet

Name	FastCap LLC
Address	5016 Pacific Highway Ferndale, WA 98248 USA
Telephone	1-360-752-2138
Fax	1-360-650-1075
Contact email	info@fastcap.com

##### 1.4. Emergency telephone number

Chemtrec Telephone	1-800-262-8200
--------------------	----------------

#### 2. HAZARDS IDENTIFICATION

##### 2.1. Classification of the substance

###### 2.1.1. Classification of the product according to DSD (67/548/EC)

XI IRRITANT	R 36/37/38 Irritating to eyes, respiratory system and skin
-------------	--

###### 2.1.2. Classification of the product according to CLP (1272/2008/EC)

Eye irrit. 2	H319 Causes serious eye irritation
STOT SE 3	H335 May cause respiratory irritation
Skin irrit. 2	H315 Causes skin irritation

##### 2.2. Label elements according to CLP (1272/2008/EC)

Hazard pictograms



View this product online at <https://marathonhardware.com/pd/F2P10SOLO>

