



## Powerseal Adhesive & Activator Kit

**Part Number: 045-3000**

Cyanoacrylate Adhesive (100g) and Aerosol Activator (400ml) Instant Adhesive Combo Kit

<div><br></div>

### Product Description

#### Only for Industrial or Commercial usage

Suitable for quick 10 second bonding of most materials including Wood, MDF, Laminate, Particleboard, Metals, Glass, Stone and much more. This is standard cyanoacrylate glue with an aerosol quick activator to speed up the setting times. Comes as a combination kit with 100g bottle of cyanoacrylate adhesive and 400ml aerosol activator spray.

### Product Advantages

- Bonds in seconds
- Strong and durable
- Very fast curing



## Technical Documents

	<b>SAFETY DATA SHEET</b>	Release date: 01.04.2014	
	According to EC directive 1272/2008	Revision: 13.02.2018 / Date/No: Rev.03 MSDS No: SDS 042-EN	
<b>MITREAPEL CA ACTIVATOR</b>			
<b>SECTION 1. IDENTIFICATION OF THE MIXTURE AND OF THE COMPANY</b>			
<b>1.1 Product Identifier</b>			
Trade Name: MITREAPEL CA Activator			
<b>1.2 Relevant Identified Uses of the Substance or Mixture and Uses Advised Against</b>			
Mixture Uses: Aerosol, activator			
<b>1.3 Details of the Supplier of the Safety Data Sheet</b>			
Beta Kimya Sanayi ve Ticaret A.Ş. BOSB Aydınli Mah. 1 No.lu Cad. No:11 Tuzla - Istanbul/TÜRKİYE - 0216 593 90 97(Tel.) - 0216 593 90 98 (Fax) <a href="http://www.apeltutkal.com">www.apeltutkal.com</a> - <a href="mailto:msds@apeltutkal.com">msds@apeltutkal.com</a>			
<b>1.4 Emergency Telephone Number</b>			
Emergency Phone Number : 114 National Poison Information Center Working Hours : Weekdays 08:00-18:00 (Turkey Time)			
<b>SECTION 2. HAZARDS IDENTIFICATION</b>			
<b>2.1 Classification of the substance/mixture</b>			
The mixture meets the criteria for classification in accordance with Regulation (EC) No. 1272/2008.			
<b>2.2 Hazards Identification</b>			
<b>Hazard Pictograms:</b>			
<b>Signal Words:</b>	Danger		
<b>Hazard Statements</b>	H222 H304 H315 H336 H361 H373** H411	Extremely flammable aerosol. May be fatal if swallowed and enters airways. Causes skin irritation. May cause drowsiness or dizziness. Suspected of damaging fertility or the unborn child May cause damage to organs through prolonged or repeated exposure exposure cause the hazard Toxic to aquatic life with long lasting effects.	
<b>Precautionary Statements</b>	P210 P281 P308+P313 P301+P310 P302+P352 P403+P235  P501	Keep away from heat/sparks/open flames/hot surfaces Use personal protective equipment as required If exposed or concerned: Get medical advice/attention If swallowed: Immediately call a poison center or doctor/physician If on skin: Wash with plenty of soap and water Store in a well-ventilated place. Keep container tightly closed.  Dispose of contents/container to...	

View this product online at <https://marathonhardware.com/pd/045-3000>

