



# Light Oak PVC, Standard Box.

# Part Number: F14106S

Light Oak PVC Wood 9/16" FastCaps. Standard Box.

Standard Box of Light Oak PVC Wood Grain 9/16" (14 mm) FastCap Cover Caps. 1060 pcs per BOX.

Colour	Light Oak
Cover Cap Type	<ul> <li>Peel and Stick</li> </ul>
Diameter	14 mm (9/16 in)
Finish	Finished Wood
Material	PVC
Packaging	Box of 1060

# **Product Description**

Fastcaps<sup>™</sup> are self-adhesive cover caps made with high performance acrylic Ultra-Bond<sup>™</sup> PSA adhesive which increases in strength as it cures, providing a long lasting permanent bond. Fastcaps<sup>™</sup> are fast and easy to install and stick like a bad habit. Made of durable PVC, unfinished wood and pre-finished real wood, they work in a wide variety of applications from covering screw holes and RTA fittings, to trimming out plumbing cutouts in sink cabinets.

# **Product Advantages**

- · Fast and easy to install
- Extensive colour, material and finish options
- Great for Covering Screw Holes
- Wide range of shapes and sizes

Page 1 / 3



### **Technical Documents**

### Printed on: 2025-Feb-08

## FASTCAP L.L.C.

### MATERIAL SAFETY DATA SHEET

### FastCap Screw Cover Caps

Product Identification :	Screw Cover Caps Manufactured from PVC sheet with Acrylic PSA Adhesive.
Company Identification:	FastCap L.L.C. 3725 Irongate Rd. #105 Bellingham, WA 98226
Chemical characteristics:	PVC material - Semi hard PVC Barium/Cadium free stabilized. Polystyrene material - General Purpose Polystyrene. Adhesive - Based on CFR Title 29-1910.1200(5) (iv) (c), such products are considered exempt from notice requirements since they do not release or otherwise result in exposure to a hazardous chemical under normal conditions of use.
Physical state:	Solid

#### Safety Measures

- 1. Solubility in water (20 degrees C): Not soluble 2. Ignition temperature: Not applicable

- Spontaneous combustion: Not applicable
   Explosion limits: Not applicable
   Thermal decomposition: When burnt under continuous flame generates CO and HCL
- 6. Dangerous Reactions: Not applicable 7. Other indications: Product only burns under permanent flame. It's self extinguishable

Dangerous Classification This is not a dangerous product.

### Transport

No special requirements.

# Storage and handling Special measures not required.

### Safety technical measures

- 1. Personal safety: No special safety measures required 2. Residue elimination: Storage in adequate places(e.g. Municipal waste disposal areas)
- 3. Accident or Fire: Products to extinguish fires: Water and CO2 foam. In case of fires, use of gas
- mask adequate for CO and HCL. 4. Safety recommendations: Protection/Breathing: Not applicable
  - Protection/eyesight: Not applicable

View this product online at https://marathonhardware.com/pd/F14106S