

Push Open Synchronization Rod

Part Number: KS-MSYNCH-ROD



Metal rod that can be cut to width for installation with SIMLEAD slides to enable perfect Any Point Touch on drawer front.

Drawer System	SIMLEAD
Finish	Bare
Length	1M
Material	Metal



Technical Documents

Push-Open Synchronization Rod Cut Length Specification
Spécification de la barre de synchronisation pour ouverture par pression

* Caution: do not bend rod during cutting.
* Attention: ne pliez pas la barre pendant couper

$X = ICW - 260mm$

1.ICW=Internal Cabinet Width
2.Remove burrs on the cutting edges.


1.ICW=Largeur de l'intérieur de l'armoire
2.Enlever les bavures sur les bords tranchants

View this product online at <https://marathonhardware.com/pd/KS-MSYNCH-ROD>



Technical Documents

Push-Open with Synchronization: Effective Trigger Range



* Shown as an example is drawer height 97mm (B) in the diagram.
The actual trigger range may vary slightly according to your installation accuracy.

View this product online at <https://marathonhardware.com/pd/KS-MSYNCH-ROD>



Technical Documents

King Slide

SIMLEAD Metal Drawer System

Push-open Synchronization Rod

Installation Instruction

Components

Synchronization Rod Connector(L) x1

Synchronization Rod Connector(R) x1

Synchronization Rod Adapter x2

Synchronization Rod x1 (1m)

Length Measurement & Cut Out

$X = IWC - 260mm$

* IWC=Internal cabinet width
* Remove burrs on the cutting edges.

Installation Instruction

1 Remove the cap.

2 Follow the direction shown as below to insert the Synchronization Rod Connector.

3 Insert the Synchronization Rod Connector onto the slide.

4 Attach the synchronization rod connectors to both sides of the trimmed rod.

5 Press to firmly connect together until "click" sound is heard.

* The angle of the Synchronization Rod Adapters must be aligned.

* Remove the Synchronization Rod Connectors attach to the slide. When synchronization rod is not used.

Push-Open Trigger Range

* The example of height B is shown in the diagram. The actual trigger range may vary in accordance with the precision of installation.

* Note : King Slide reserves the right to alter specifications of all the products without notice. The actual product may vary from the illustration if the entity is different from the illustration, please refer to the entity.

View this product online at <https://marathonhardware.com/pd/KS-MSYNCH-ROD>

