



Salice F70 Soft-Close Undermount Slide, 550mm (22")

Part Number: SG7E6S550XXB

Salice Progressa+ Synchronized Undermount Slide, Full-Extension, Soft-Close, 550mm (22in)

A new generation of heavy-duty fully synchronized drawer slides. Available in the full range of lengths from 350mm to 750mm.

Closing Type	Soft-Close
Length	550mm (22in)
Load Capacity	78kg (170 lbs)
Mounting Type	Screw-In
Slide Extension Type	Full Extension
Slide Type	Undermount

Product Description

The next generation of heavy duty drawer slides, featuring a fully integrated, synchronized rack and pinion system. Suitable for every drawer in the house and any commercial application without the need of any stabilizing rod, thanks to its patented smooth running action.

Salice's Smove is soft-close mechanism that's fully integrated into the drawer slide.

The fluid-based soft-close device guarantees a smooth action on any drawer. From pot and pan drawers to powder rooms, and garage cabinets to silverware drawers, Progressa+ represents an ideal and versatile solution to all needs.

Product Advantages

- 78 kg (170 Lbs) Static load capacity
- 70 kg (154 lbs) Dynamic load capacity
- · Full extension with a synchronized mechanism
- 550mm length
- Enhanced smooth soft closing action
- · Elongated holes for depth and height adjustment
- · Adjustable clips allow for easy drawer insertion and removal
- Tool free depth adjustments +/- 3 mm
- Tool free side adjustments +/- 1.5 mm
- Tool free height adjustments + 2.5 mm (located on runner)
- Optional tool free tilt adjustment +3 mm
- 12 mm (1/2") to 16 mm (5/8") drawer thickness
- Finish: bright zinc-plated
- 100% Made in Italy

Disclaimer

Salice Undermount Slides do NOT include front locking clips. These must be ordered separately.




Technical Documents

MARATH	ION	SALICE Progressa+ Technical Specifications & Ass	embly
Salice Progressa+		Product Features	
		The Salice Progressar is proudly 100% ma advanced drawer silde is designed to de performance and reliability. Ideal for dra- home, it excels in applications requiring a making it perfect for kitchens, bothrooms where robust storage solutions are essen engineering of Progressar ensures smoot operation, enhancing the functionality and drawers. • Full-extension, featuring the S-Drive synch prinon mechanism • Available in soft-dase and push-open ve • Available in 9 lengths 350mm - 750mm • Tool thes side adjustments +/- 15mm, de height adjustments +25mm and optional	liver exceptional wers throughout the a high load capacity, , and any other areas tial. The precision h and synchronized id durability of your monized rack and rsions pth adjustments */~ 3mm, titt adjustment: *3mm
		Bongated holes for added depth and h Optional synchronizer lift for push-open, i movement of wider drawers Static load capacity: 77kg (170bs) Dynamic load capacity: 70kg (154bs)	
 Set of left and Sold Separatel Optional: Tilt adjustra Push synct 	y - Front fixing brackets nent levers ronizer kit	 Optional synchronizer kit for push-open, movement of wider drawers Static load capacity: 77kg (170bs) Dynamic load capacity: 70kg (154bs) 	optimizes the opening
Set of left and Sold Separatel Optional: Tit adjustn Push synct Progressa+ Ordering Length	y - Front fixing brackets ronizer kit Guide Sott-Close Part#	Optional synchronizer kit for push-open, movement of wider drawers Static load capacity: 77kg (170ba) Dynamic load capacity: 70kg (154ba)	optimizes the opening
Set of left and Solid Separatel Optional Till adjustr Push synct Progressa+ Ordering Length 350mm	y - Front fixing brackets ronizer kit Guide Soft-Close Parte 507t65550X8	Optional synchronizer kit for push-open, movement of wider drawers Static load capacity: 77kg (170bs) Dynamic load capacity: 70kg (154bs)	optimizes the opening
Set of left and Solid Separatel Optional: Till adjustr Push synct Progressa+ Ordering Length 330m 440mm	y - Front fixing brackets ment levers irronizer kit Guide Soft-Close Parter SofteSSSOK8 SOTESSSOK8	Optional synchronizer kit for push-open, movement of wider drawers Static load capacity: 77kg (170ba) Dynamic load capacity: 77kg (154ba)	optimizes the opening
Set of left and Sold Separatel Optional: Tit adjustn Push synch Progressa+ Ordering Length 300mm 440mm 430mm	y - Front fixing brackets ment levers ironizer kit Guide Soft-Close Part# SofteSSocks SofteSSocks SofteSSocks SofteSSocks	Optional synchronizer kit for push-open, movement of wider drawers Static load capacity: 77kg (170ba) Dynamic load capacity: 70kg (154ba) Push-Open Part# SoT##350x8 SOT##450x8 SOT##450x8 SOT##450x8 SOT##450x8	optimizes the opening
Set of left and Solid Separatel Optional: Till adjustr Push synct trogressa+ Ordering Length 330mm 440mm	y - Front fixing brackets ment levers irronizer kit Guide Soft-Close Parter SofteSSSOK8 SOTESSSOK8	Optional synchronizer kit for push-open, movement of wider drawers Static load capacity: 77kg (170ba) Dynamic load capacity: 77kg (154ba)	optimizes the opening
Set of left and Solid Separatel Optional: Tit adjustr Push synct trogressa+ Ordering Length 300mm 400mm 500mm	y - Front fixing brackets ronizer kit Guide Soft-Close Parte S07t65550X8 S07t65400X8 S07t65400X8 S07t65400X8 S07t65400X8	Optional synchronizer kit for push-open, movement of wider drawers Static load capacity: 77bg (70ba) Dynamic load capacity: 70bg (154ba) Push-Open Part# So76#400008 So76#400008 So76#400008 So76#400008 So76#400008	Coptimizes the opening
Set of left and Solid Separatel Optional: Till adjustr Push synch trogressa+ Ordering Length 330mm 440mm 450mm 550mm 550mm	y - Front fixing brackets ment levers irronizer kit Guide Soft-Close Parte SoftesSocks SoftesSocks SoftesSocks SoftesSocks SoftesSocks	Optional synchronizer kit for push-open, movement of wider drawers Static load capacity: 77kg (170ba) Dynamic load capacity: 77kg (154ba) Push-Open Parts S076490008 S07649008 S0764900	Coptimizes the opening
Set of left and Solid Separatel Optional: Tit adjustn Push synch Progressa+ Ordering Length 350mm 450mm 500mm 500mm 500mm	y - Front fixing brackets ronizer kit Guide Soft-Close Part# SofteSSB0xk8 SofteSSB0xk8 SofteSSB0xk8 SofteSSB0xk8 SofteSSB0xk8	Optional synchronizer kit for push-open, movement of wider drawers Static load capacity: 77kg (170ba) Dynamic load capacity: 77kg (154ba) Push-Open Part# SoTre#550008 SoTre#400008 SoTre#500008 SoTre#50008 SoTre#5008	Optimizes the opening
Set of left and Solid Separatel Optional: Tit adjustr Push synct Progressa+ Ordering Length 300mm 400mm 400mm 500mm 500mm 600mm 650mm	y - Front fixing brackets ronizer kit Guide Soft-Close Parte SG785530X8 SG7855400X8 SG785500X8 SG785500X8 SG785500X8 SG785500X8	Optional synchronizer kit for push-open, movement of wider drawers Static load capacity: 77kg (170ba) Dynamic load capacity: 77kg (154ba) Push-Open Part# SoTet#30008 SoTet#400008 SoTet#400008	Optimizes the opening
Set of left and Solid Separatel Optional: Tit adjustr Push synch Progressa+ Ordering Length 300m 400m 500m 500m 600m 600m 700m 700m 700m 700m	y - Front fixing brackets ment levers irronizer kit Soft-Close Parte SofteSSOK8 SofteSSOK8 SofteSSOK8 SofteSSOK8 SofteSSOK8 SofteSSOK8 SofteSSOK8 SofteSSOK8 SofteSSOK8	Optional synchronizer kit for push-open, movement of wider drawers Static load capacity: 77kg (170bb) Dynamic load capacity: 77kg (154ba) Push-Open Part# S076#30008 S076#3008 S076#3008 S076#3008 S076#3008 S076#3008 S076#3008	Optimizes the opening
Set of left and Solid Separatel Optional: Tit adjustr Push synch Progressa+ Ordering Length 330m 440mm 450mm 550mm 550mm 660mm 730mm 730mm 730mm	y - Front fixing brackets ment levers irronizer kit Soft-Close Parte SofteSSOK8 SofteSSOK8 SofteSSOK8 SofteSSOK8 SofteSSOK8 SofteSSOK8 SofteSSOK8 SofteSSOK8 SofteSSOK8	Optional synchronizer kit for push-open, movement of wider drawers Static load capacity: 77kg (170bb) Dynamic load capacity: 77kg (154ba) Push-Open Part# S076#30008 S076#3008 S076#3008 S076#3008 S076#3008 S076#3008 S076#3008	Optimizes the opening
Set of left and Solid Separatel Optional: Tit adjustr Push synch Progressa+ Ordering Length 330m 440mm 450mm 550mm 550mm 660mm 730mm 730mm 730mm	y - Front fixing brackets rent levers ronizer kit Soft-Close Part# SoftsSSOX8 SoftsSSOX8 SoftsSSOX8 SoftsSSOX8 SoftsSSOX8 SoftsSSOX8 SoftsSSOX8 SoftsSSOX8 SoftsSSOX8 SoftsSSOX8 SoftsSSOX8 SoftsSSOX8 SoftsSSOX8 SoftsSSOX8 SoftsSSOX8 SoftsSSOX8 SoftsSSOX8 SoftsSSOX8 SoftsSSOX8 SoftsSSOX8 SoftsSSOX8 SoftsSSOX8 SoftsSSOX8	Optional synchronizer kit for push-open, movement of wider drawers Static load capacity: 77kg (170bb) Dynamic load capacity: 77kg (154ba) Push-Open Part+ S07647000X8 S0764700X8 S076470X8 S076470X8	Optimizes the opening
Set of left and Solid Separatel Optional: Tit adjustr Push synch Progressa+ Ordering Length 330m 440mm 450mm 550mm 550mm 660mm 730mm 730mm 730mm	y - Front fixing brackets rent levers ronizer kit Soft-Close Part# SofteS550xx8 SofteS500x8 SofteS500x8 SofteS500x8 SofteS500x8 SofteS500x8 SofteS500x8 SofteS500x8 SofteS500x8 SofteS500x8 SofteS500x8 SofteS500x8 SofteS500x8 SofteS500x8 SofteS500x8 SofteS500x8 SofteS500x8 SofteS500x8 SofteS500x8 SofteS500x8	Optional synchronizer kit for push-open, movement of wider drawers Static load capacity: 77kg (170bb) Dynamic load capacity: 77kg (154bc) Push-Open Part+ SofterAddoxe SofterAddoxe	Optimizes the opening Chy/Box Chy/Box Chy/Box Chy/Box Chy/Box Chy/Box
Set of left and Sold Separatel Optional: Tit adjustr Push synct Progressa+ Ordering Length 300m 400m 500m 600m 600m 700m	y - Front fixing brackets ment levers irronizer kit Guide Soft-Close Parte SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS SofteSSSOKIS Softe	 Optional synchronizer kit for push-open, movement of wider drawers Static load capacity: 77kg (170bd) Dynamic load capacity: 77kg (154ba) Push-Open Parts S076#30008 S076#70008	City/Box 6 6 6 6 6 6 6 6 6 6 4 4 4 4 4 4 4 4 4


View this product online at https://marathonhardware.com/pd/SG7E6S550XXB



Technical Documents



View this product online at https://marathonhardware.com/pd/SG7E6S550XXB





Technical Documents





- Progressa slides meet and exceed Ansi BHMA A156.9-2020 Grade 1 standard
- Full extension with a synchronized mechanism. Available in Soft Close, integrated Push-to-Open and Shelf version
- Tool free height adjustments + 2.5 mm Tool free depth adjustments +/- 3 mm Tool free side adjustments +/- 1.5 mm
- · Lifetime warranty, 100% Made in Italy



S-Drive System



All versions and lengths of Progressa have an integrated rack and pinion system, which synchronizes the sliding elements and guarantees a true progressive action, excellent lateral stabilityand a perfectly silent movement.

Progressa, a cutting-edge generation of high-performance, full extension undermount drawer runners that redefine precision and durability.

- True progressive action
- · Static load capacities ranging from 55 kg on Progressa to 78 kg on Progressa+ Dynamic loads spanning from 45 kg on Progressa to 70 kg on Progressa+
- Length range from 350 mm to 750 mm in 50 mm increments
- No additional stabilizer bar needed
- Compatible with drawer side material thicknesses . between 13 mm (1/2") and 16 mm (5/8")



Front Locking Devices



2-way clip, with side fixing

For any further information and requests: info.salice@salicecanada.com www.salicecanada.com

View this product online at https://marathonhardware.com/pd/SG7E6S550XXB