



Salice F70 Soft-Close Undermount Slide, 600mm (24")

Part Number: SG7E6S600XXB

Salice Progressa+ Synchronized Undermount Slide, Full-Extension, Soft-Close, 600mm (24in)

A new generation of heavy-duty fully synchronized drawer slides. Available in the full range of lengths from 350mm to 750mm.

| Closing Type | Soft-Close |
|----------------------|----------------|
| Length | 600mm (24in) |
| Load Capacity | 78kg (170 lbs) |
| Mounting Type | Screw-In |
| Slide Extension Type | Full Extension |
| Slide Type | Undermount |
| | |

Product Description

The next generation of heavy duty drawer slides, featuring a fully integrated, synchronized rack and pinion system. Suitable for every drawer in the house and any commercial application without the need of any stabilizing rod, thanks to its patented smooth running action.

Salice's Smove is soft-close mechanism that's fully integrated into the drawer slide.

The fluid-based soft-close device guarantees a smooth action on any drawer. From pot and pan drawers to powder rooms, and garage cabinets to silverware drawers, Progressa+ represents an ideal and versatile solution to all needs.

Product Advantages

- 78 kg (170 Lbs) Static load capacity
- 70 kg (154 lbs) Dynamic load capacity
- · Full extension with a synchronized mechanism
- 600mm length
- Enhanced smooth soft closing action
- · Elongated holes for depth and height adjustment
- · Adjustable clips allow for easy drawer insertion and removal
- Tool free depth adjustments +/- 3 mm
- Tool free side adjustments +/- 1.5 mm
- Tool free height adjustments + 2.5 mm (located on runner)
- Optional tool free tilt adjustment +3 mm
- 12 mm (1/2") to 16 mm (5/8") drawer thickness
- Finish: bright zinc-plated
- 100% Made in Italy

Disclaimer

Salice Undermount Slides do NOT include front locking clips. These must be ordered separately.




Technical Documents

| MARATH | | SALICE Progressa+ Technical Specifications & Ass | embly |
|---|--|--|--|
| Salice Progressa+ | | Product Features | |
| | | The Salice Progressar is proudly 100% ma advanced drawer slide is designed to de performance and reliability. Ideal for dra- home, it excels in applications requiring of making it perfect for litchens, bathrooms where robust storage solutions are essen engineering of Progressar ensures smoot operation, enhancing the functionality an drawers. Full-extension, featuring the S-Drive synch prison mechanism Available in soft-dose and push-open ve Available in 9 lengths 350mm - 750mm Tool thes side adjustments -{2.5mm, de height adjustments -{2.5mm, add depth and height adjustments -{2.5mm | liver exceptional wers throughout the a high load capacity, , and any other areas tial. The precision h and synchronized id durability of your monized rack and micros ph adjustments */- 3mm, titt adjustment: *3mm |
| | | Optional synchronizer kil for puck-open, or movement of wider drawers Static load capacity: 77kg (70kg) Dynamic load capacity: 70kg (154kg) | optimizes the opening |
| Set of left and Sold Separately Optional: Tilt adjustm | y - Front fixing brackets nent levers ronizer kit | movement of wider drawers • Static load capacity: 77kg (170bs) • Dynamic load capacity: 70kg (154bs) | |
| Set of left and Sold Separate Optional: Tilt adjustr Push synch Progressa+ Ordering Length | y - Front fixing brackets ronizer kit Guide Sott-Close Part# | movement of wider drawers • Static load capacity: 77kg (170bs) • Dynamic load capacity: 70kg (154bs) • Dynamic load capacity: 70kg (154bs) | |
| Set of left and Solid Separately Optional: Tit adjustr Push synch Progressa+ Ordering Length 350mm | y - Front fixing brackets ronizer kit Guide Soft-Close Parte 507t65550X8 | movement of wider drawers • Static load capacity: 77kg (170ba) • Dynamic load capacity: 70kg (154ba) • Dynamic load capacity: 70kg (154ba) • Dynamic load capacity: 70kg (154ba) • Dynamic load capacity: 70kg (154ba) | بر با |
| Set of left and Solid Separate Optional: Till adjustr Push synch Progressa+ Ordering Length 330mm 440mm | y - Front fixing brackets ment levers irronizer kit Guide Soft-Close Parter SofteSSSOK8 SOTESSSOK8 | movement of wider drowers • Static load capacity: 77kg (170bx) • Dynamic load capacity: 70kg (154ba) • Dynamic load capacity: 70kg (| بر با |
| Set of left and Sold Separateh Optional: Till adjustre Push synch Progressa+ Ordering Length 350mm | y - Front fixing brackets ronizer kit Guide Soft-Close Parte 507t65550X8 | movement of wider drawers • Static load capacity: 77kg (170ba) • Dynamic load capacity: 70kg (154ba) • Dynamic load capacity: 70kg (154ba) • Dynamic load capacity: 70kg (154ba) • Dynamic load capacity: 70kg (154ba) | بر با |
| Set of left and Sold Separate Optional: Tit adjustr Push synch Progressa+ Ordering Length 350mm 440mm 450mm | y - Front fixing brackets ment levers ironizer kit Guide Soft-Close Part# SofteSSocks SofteSSocks SofteSSocks SofteSSocks | movement of wider drawers Static load capacity: 77kg (170bs) Dynamic load capacity: 70kg (154ba) Push-Open Part# S0764750008 S0764400008 S076440008 S07644008 S076400 S07644008 S0764008 S07644008 S076400 S076 S076 S076 S076 S076 S076 S076 S0 | بر با |
| Set of left and Solid Separately Optional: Til adjustr Push synch trogressa+ Ordering Length 350mm 400mm 450mm 500mm | y - Front fixing brackets ronizer kit Guide Soft-Close Parte S07t65550X8 S07t65400X8 S07t65400X8 S07t65400X8 S07t65400X8 | movement of wider drawers Static load capacity: 77kg (170ba) Dynamic load capacity: 70kg (154ba) Push-Open Part# S076#35003 S076#4000X8 S076#4000X8 S076#4000X8 S076#4000X8 S076#4500X8 S076#500X8 S076#4500X8 S076#4500X8 S076#500X8 S076#508 S076#50 S076#500X8 S076#50 S076#500X8 S076 S076 S076 S076 S078 S076 S076 S076 S076 S076 S076 S076 S076 | بر با |
| Set of left and Solid Separate Optional: Til adjustr Push synch trogressa+ Ordering Length 330mm 440mm 450mm 550mm 550mm | y - Front fixing brackets ment levers irronizer kit Guide Soft-Close Parte SoftesSocks SoftesSocks SoftesSocks SoftesSocks SoftesSocks | movement of wider drawers Static load capacity: 77kg (170bx) Dynamic load capacity: 70kg (154ba) Push-Open Parts S076#30008 S076#3008 S076#308 S076#3008 S076#308 S076#3008 S076#3008 S076#308 S076#3008 S076#3008 S076#3008 S076#3008 S076#3008 S076#3008 S076#308 S076 S076 S076 S076 S076 S076 S076 S076 | بر با |
| Set of left and Sold Separate Optional: Til adjustr Push synch trogressa+ Ordering Length 300mm 400mm 400mm 500mm 600mm | y - Front fixing brackets ronizer kit Guide Soft-Close Part# SofteSSB0xk8 SofteSSB0xk8 SofteSSB0xk8 SofteSSB0xk8 SofteSSB0xk8 | movement of wider drawers Static load capacity: 77kg (170bs) Dynamic load capacity: 70kg (154bs) Push-Open Part+ SoTe#350008 SoTe#400008 SoTe#400008 SoTe#500008 SoTe#50008 SoTe#500008 SoTe#50008 SoTe#500008 SoTe#50008 SoTe#5008 SoTe#50008 SoTe#50008 SoTe#5008 SoTe#508 SOT#508 SOT#50 | بر با |
| Set of left and Solid Separately Optional: Till adjustre Push synch Progressa+ Ordering Length 300m 400m 400m 500m 600m 650m | y - Front fixing brackets ronizer kit Guide Soft-Close Parte SG785530X8 SG7855400X8 SG785500X8 SG785500X8 SG785500X8 SG785500X8 | movement of wider drawers Static load capacity: 77kg (170bs) Dynamic load capacity: 70kg (154bs) | بر با |
| Set of left and Solid Separately Optional: Till adjustre Push synch Progressa+ Ordering Length 330m 440mm 450mm 550mm 550mm 660mm 730mm 730mm 730mm 730mm | y - Front fixing brackets ment levers irronizer kit Soft-Close Parte SofteSSOK8 SofteSSOK8 SofteSSOK8 SofteSSOK8 SofteSSOK8 SofteSSOK8 SofteSSOK8 SofteSSOK8 SofteSSOK8 | movement of wider drawers Static load capacity: 77kg (170ba) Dynamic load capacity: 70kg (154ba) Push-Open Part# Softer35008 Softer450008 Softer45008 Softer4508 Sof | بر با |
| Set of left and Solid Separate Optional: Tit adjustr Push synch trogressa+ Ordering Length 350mm 450mm 550mm 650mm 750mm 750mm | y - Front fixing brackets ment levers irronizer kit Soft-Close Parte SofteSSOK8 SofteSSOK8 SofteSSOK8 SofteSSOK8 SofteSSOK8 SofteSSOK8 SofteSSOK8 SofteSSOK8 SofteSSOK8 | movement of wider drawers Static load capacity: 77kg (170ba) Dynamic load capacity: 70kg (154ba) Push-Open Part# Softer35008 Softer450008 Softer45008 Softer4508 Sof | بر با |
| Set of left and Solid Separately Optional: Till adjustre Push synch Progressa+ Ordering Length 330m 440mm 450mm 550mm 550mm 660mm 730mm 730mm 730mm 730mm | y - Front fixing brackets rent levers ronizer kit Soft-Close Part# SoftsSSOX8 | movement of wider drawers • Static load capacity: 77kg (170ba) • Dynamic load capacity: 70kg (154ba) Pash-Open Parts S0764750008 S0764750008 S0764750008 S0764750008 S0764750008 S0764750008 S0764750008 S0764750008 S0764750008 | Cty/Box 6 6 6 6 6 6 6 6 6 6 6 6 6 |
| Set of left and Solid Separately Optional: Till adjustre Push synch Progressa+ Ordering Length 330m 440mm 450mm 550mm 550mm 660mm 730mm 730mm 730mm 730mm | y - Front fixing brackets rent levers ronizer kit Soft-Close Part# SofteS550xx8 SofteS500x8 SofteS500x8 SofteS500x8 SofteS500x8 SofteS500x8 SofteS500x8 SofteS500x8 SofteS500x8 SofteS500x8 SofteS500x8 SofteS500x8 SofteS500x8 SofteS500x8 SofteS500x8 SofteS500x8 SofteS500x8 SofteS500x8 SofteS500x8 SofteS500x8 | movement of wider drowers • Static load capacity: 7/kg (170b;) • Dynamic load capacity: 7/kg (154b;) • Dynamic load capacity: 7/kg (| Chy/Box 6 6 6 6 6 6 4 4 4 4 4 6 Chy/Box |
| Set of left and Solid Separate Optional: Til adjustr Push synch Progressa+ Ordering Length 350mm 400mm 400mm 550mm 600mm 650mm 700mm | y - Front fixing brackets ment levers irronizer kit Guide Soft-Close Parte Softes530xx8 Softes530x8 S | movement of wider drawers • Static load capacity: 7/kg (17/bg) • Dynamic load capacity: 7/kg (15/bg) Fush-Open Parte SofterStatus SofterStatus SofterStatus SofterStatus SofterStatus SofterStatus SofterStatus SofterStatus SofterStatus SofterStatus SofterStatus | Cty/Box 6 6 6 6 6 6 6 6 6 4 4 4 4 4 4 4 4 4 4 |


View this product online at https://marathonhardware.com/pd/SG7E6S600XXB



Technical Documents



View this product online at https://marathonhardware.com/pd/SG7E6S600XXB





Technical Documents





- Progressa slides meet and exceed Ansi BHMA A156.9-2020 Grade 1 standard
- Full extension with a synchronized mechanism. Available in Soft Close, integrated Push-to-Open and Shelf version
- Tool free height adjustments + 2.5 mm Tool free depth adjustments +/- 3 mm Tool free side adjustments +/- 1.5 mm
- · Lifetime warranty, 100% Made in Italy



S-Drive System



All versions and lengths of Progressa have an integrated rack and pinion system, which synchronizes the sliding elements and guarantees a true progressive action, excellent lateral stabilityand a perfectly silent movement.

Progressa, a cutting-edge generation of high-performance, full extension undermount drawer runners that redefine precision and durability.

- True progressive action
- · Static load capacities ranging from 55 kg on Progressa to 78 kg on Progressa+ Dynamic loads spanning from 45 kg on Progressa to 70 kg on Progressa+
- Length range from 350 mm to 750 mm in 50 mm increments
- No additional stabilizer bar needed
- Compatible with drawer side material thicknesses . between 13 mm (1/2") and 16 mm (5/8")



Front Locking Devices



2-way clip, with side fixing

For any further information and requests: info.salice@salicecanada.com www.salicecanada.com

View this product online at https://marathonhardware.com/pd/SG7E6S600XXB